TP-LINK[®]

150Mbps Wireless N ADSL2+ Modem Router TD-W8901N

• Features:

- High speed DSL modem, NAT router and wireless access point in one device providing a one-stop networking solution
- Wireless speed up to 150Mbps makes it ideal for bandwidth consuming or interruption sensitive applications like online gaming and video streaming
- Easy Setup Assistant with multi-language support provides a quick & hassle-free installation¹
- SPI and NAT firewall protects end-user devices from potential attacks from across the Internet
- WPA-PSK/WPA2-PSK encryptions provide user networks with active defense against security threats
- Wi-Fi On/Off Button allows users to simply turn their wireless radio on or off
- QoS enables smooth IPTV streaming and lag-free online gaming
- Port VLAN binds specific LAN ports and PVCs for an enjoyable IPTV experience²
- WDS wireless bridge provides seamless bridging to expand the wireless network
- 6000V Lightning Protection helps your device to avoid the damage of tough thunderstorms
- Supporting the latest Internet Protocol IPv6 to future-proof your network



• Description:

TD-W8901N 150Mbps Wireless N ADSL2+ Modem Router is an All-in-One device, which is designed to provide end-users with a one-stop solution to acquiring and sharing high speed Internet access over a wired/wireless network. With the Easy Setup Assistant bundled in the CD, SPI and NAT firewall, QoS engine and other advanced features, you can easily setup a protected wireless network and enjoy the pleasant of Internet surfing, file sharing, VoIP, audio and Video streaming.

¹ The Easy Setup Assistant utility supports Windows 8/7/Vista/XP/2000 operating system at present.

² IPTV application may require subscribing to IPTV services from an ISP.


www.tp-link.com

• Specifications:

HARDWARE FEATURES	
Interface	4 10/100Mbps RJ45 Ports 1 RJ11 Port
	1 Power On/Off
Button	1 Reset Button
	1 Wi-Fi On/Off Button
External Power Supply	9VDC/0.6A
IEEE Standards	IEEE 802.3, 802.3u
	Full-rate ANSI T1.413 Issue 2, ITU-T G.992.1(G.DMT), ITU-T G.992.2(G.Lite
ADSL Standards	ITU-T G.994.1 (G.hs), ITU-T G.995.1 , ITU-T G.996.1, ITU-T G.997.1, ITU-T K.2.1
ADSL2 Standards	ITU-T G.992.3 (G.dmt.bis), ITU-T G.992.4 (G.lite.bis)
ADSL2 Standards	ITU-T G.992.5
Dimensions ($W \times D \times H$)	7.2 x 5.0 x 1.4 in. (182 x 128 x 35mm)
Antenna Type	Omni directional, Undetachable, Reverse SMA
Antenna Gain	1 * 5dBi
WIRELESS FEATURES	
Wireless Standards	IEEE 802.11g, 802.11b, with some n features
Frequency	2.400-2.4835GHz
EIRP	<20dBm(EIRP)
Wireless Security	Support 64/128 bit WEP, WPA-PSK/WPA2-PSK,
,	Wireless MAC Filtering
SOFTWARE FEATURES	
Quality of Service	QoS Remarking based on IPP/ToS, DSCP and 802.1p
Port Forwarding	Virtual server, DMZ, ACL(Access Control List)
VPN Pass-Through	PPTP, L2TP, IPSec Pass-through
	ATM Forum UNI3.1/4.0,
ATM/PPP Protocols	PPP over ATM (RFC 2364), PPP over Ethernet (RFC2516),
	IPoA (RFC1577/2225),
	PVC - Up to 8 PVCs,
	Traffic Shaping(ATM QoS) UBR, CBR, VBR-rt, VBR-nrt;
	Dynamic Host Configuration Protocol (DHCP), DHCP relay;
Advanced Features	Network Address Translation (NAT); PVC/Ethernet
	Port Mapping
	VLAN, 802.1P, Static Routing, RIP v1/v2 (optional); DNS Relay, DDNS, IGMP snooping V1/2, IGMP
	Multicast, UPnP
Sociurity	NAT Firewall, SPI Firewall, MAC / IP / Packet / Application /
Security	URL Filtering, Denial of Service(DoS), SYN Flooding, Ping of Death
	Web Based Configuration(HTTP), Remote management, Telnet
Management	management, Command Line Interface, SSL for TR-069, SNMP V1/V2C
	SNMP over EOC, Web Based Firmware Upgrade, CWMP(TR-069), Diagnostic Tools
OTHERS	
Certification	CE, FCC, RoHS
System Requirements	Microsoft® Windows® 8/7/Vista/XP/2000/98SE/NT, MAC® OS,
System nequirements	NetWare®, UNIX® or Linux.
	Operating Temperature: 0°C~40°C (32°F~104°F)
Environment	Storage Temperature: -40°C~70°C (-40°F~158°F) Operating Humidity: 10%~90% non-condensing
	Storage Humidity: 70%~90% non-condensing

www.tp-link.com

• Diagram:



Package:

- 150Mbps Wireless N ADSL2+ Modem Router TD-W8901N
- External Splitter
- RJ-11 Telephone Cable
- RJ-45 Ethernet Cable
- Quick Installation Guide
- Resource CD
- Power Adapter

Related Products:

- 150Mbps Wireless N USB Adapter TL-WN727N
- 150Mbps Wireless N PCI Adapter
- TL-WN751ND

Specifications are subject to change without notice. TP-LINK is a registered trademark of TP-LINK Technologies Co., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders. No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from TP-LINK Technologies Co., Ltd.

www.tp-link.com